

CB TEST CERTIFICATE CERTIFICAT D'ESSAI OCProduct
Produit

Medical Power Supply

Name and address of the applicant
Nom et adresse du demandeurEOS Power India PVT Ltd.
Unit #57, SDF II, Seepz-Sez, Andheri (East)
Mumbai 400 096
IndiaName and address of the manufacturer
Nom et adresse du fabricantEOS Power India PVT Ltd.
Unit #57, SDF II, Seepz-Sez, Andheri (East)
Mumbai 400 096
IndiaName and address of the factory
Nom et adresse de l'usineEOS Power India PVT Ltd.
Unit #57, SDF II, Seepz-Sez, Andheri (East)
Mumbai 400 096
IndiaNote: When more than one factory, please report on page 2
Note: Lorsque il y plus d'une usine, veuillez utiliser la deuxième page Additional information on page 2Ratings and principal characteristics
Valeurs nominales et caractéristiques principalesInput: 6.3 A Max, 100-240 Vac, 47-63 Hz / 140-310Vdc
Outputs: (See General Product Description in report)
Class ITrademark (if any)
Marque de fabrique (si elle existe)Type of Manufacturer's Testing Laboratories used
Type de programme du laboratoire d'essais constructeur
Model / Type Ref.
Ref. De type

CTF Stage 3

MFLS250/400- ZXVV-YYYY-MMMM

Additional information (if necessary may also be reported on page 2)
Les informations complémentaires (si nécessaire, peuvent être indiqués sur la deuxième page Additional information on page 2A sample of the product was tested and found to be in conformity with
Un échantillon de ce produit a été essayé et a été considéré conforme à la

IEC 60601-1:2005, IEC 60601-1:2005/AMD1:2012

As shown in the Test Report Ref. No. which forms part of this Certificate

437793

Comme indiqué dans le Rapport de tests numéro de référence qui constitue partie de ce Certificat

This CB Test Certificate is issued by the National Certification Body
Ce Certificat de test OC est établi par l'Organisme National de CertificationPhilip Pedersen vei 11,
NO-1366 Lysaker, Norway

Date: 04-08-2021

Signature: Sweet Yuan
Certification Department

Additional information(if necessary)**Information complémentaire (si nécessaire)**

Model explanation: Z= no of Outputs, 1 for single Output & 2 with Standby 5Vsb X= numeric character for denoting type of connector (e.g.0= For Screw Terminal, 3= PCB header) V= any numeric from 0-9 (Representing the output voltage which can be any voltage in the range 12V to 58V, max Current as stated in ref table) Y= any alpha, numeric or alphanumeric character or blank (denotes minor output variation and /or minor SELV circuit variations); M= any alpha, numeric or alphanumeric character or blank, denotes type of metal accessories (e.g. U=U channel, L= L bracket, CK= Cover-kit) M= Denotes FAN Position (e.g. TF= Top FAN, SF= Side FAN). (for MFLS400)



Philip Pedersen vei 11,
NO-1366 Lysaker, Norway

Date: 04-08-2021

Signature: Sweet Yuan
Certification Department