

CB TEST CERTIFICATE CERTIFICAT D'ESSAI OCProduct
Produit

Switch mode power supply (for building-in)

Name and address of the applicant
Nom et adresse du demandeurEOS Power India PVT Ltd.
Unit #57, SDF II, Seepz-Sez, Andheri (East)
Mumbai 400 096
IndiaName and address of the manufacturer
Nom et adresse du fabricantEOS Power India PVT Ltd.
Unit #57, SDF II, Seepz-Sez, Andheri (East)
Mumbai 400 096
IndiaName and address of the factory
Nom et adresse de l'usineEOS Power India PVT Ltd.
Unit #57, SDF II, Seepz-Sez, Andheri (East)
Mumbai 400 096
IndiaNote: When more than one factory, please report on page 2
Note: Lorsque il y plus d'une usine, veuillez utiliser la deuxième page Additional information on page 2Ratings and principal characteristics
Valeurs nominales et caractéristiques principales

Input: 6 A max., 100 – 240V ~, 47-63 Hz or 6 A max., 100 – 277V ~, 47-63 Hz or 6 A max., 100 – 240V ~, 47-63 Hz / 120 – 390DC

Trademark (if any)
Marque de fabrique (si elle existe)Type of Manufacturer's Testing Laboratories used
Type de programme du laboratoire d'essais constructeur

CTF Stage 3

Model / Type Ref.
Ref. De type

WLC550-ZXXX-YYYY-MMMM

Additional information (if necessary may also be reported on page 2)

 Additional information on page 2

Les informations complémentaires (si nécessaire, peuvent être indiqués sur la deuxième page)

A sample of the product was tested and found to be in conformity with

Un échantillon de ce produit a été essayé et a été considéré conforme à la

As shown in the Test Report Ref. No. which forms part of this Certificate

398478

Comme indiqué dans le Rapport de tests numéro de référence qui constitue partie de ce Certificat

This CB Test Certificate is issued by the National Certification Body
Ce Certificat de test OC est établi par l'Organisme **National de Certification**Philip Pedersen vei 11,
NO-1366 Lysaker, Norway

Date: 09-06-2020

Signature: Juan Z. Saussey
Certification Department

Additional information(if necessary)**Information complémentaire (si nécessaire)**

Output: 550W max, 350W max. In model name, Z= 1 or 2, 2 for models with +5Vdc standby; XXX = any numeric from 0-9 (representing the output voltage which can be any voltage in the range 12V to 58V, max current as stated in ref table); Y = any alpha or numeric character or blank (denotes minor output variation and /or minor secondary circuit variations). First 'Y' as H denotes wide input range. MMMM=any alpha or alphanumeric character or blank denoting type of mechanical accessory (B= Base Plate, L= L bracket, U= U channel, CK= Cover Kit, CKF=Cover kit with Fan, Side or Top).



Philip Pedersen vei 11,
NO-1366 Lysaker, Norway

Date: 09-06-2020

Signature: Juan Z. Saussey
Certification Department