

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2147080-0
Report Reference E515384-20211012
Date 14-Oct-2021

Issued to: EOS POWER INDIA PVT LTD
UNIT 57 SDF-II
SEEPZ ANDHERI (E) MUMBAI, Maharashtra
India 400096

This is to certify that representative samples of QQJQ - Power Supplies for Use with Audio/Video, Information and Communication Technology Equipment
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 62368-1, 3rd Ed., Issue Date: 2019-12-13

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

B. Mahlen

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2147080-0
Report Reference E515384-20211012
Date 14-Oct-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
eZVCXXYY ZZt WW V (Class I), eZVCXXYY ZZt WW V: XX= denotes the rated output wattage designation, which can be "20" to "65", with interval of 1. YY = Blank or alphabetical Sub Code (eg. 30/45 -FS, 55/65 - SG/NS) ZZ= denote the standard rated output voltage designation which can be "12" to "58" or "12.0" to "58.0" in 0.1V increments t= blank or alpha or numeric character denoting minor circuit or construction modifications that do not compromise the overall safety of the product WW=Cord Type V (I/P Option) =6 - C6 AC inlet, 4 - C14 AC inlet	Power Supply Adapter
eZVCXXYY ZZt WW V (Class II), eZVCXXYY ZZt WW V: XX= denotes the rated output wattage designation, which can be "20" to "65", with interval of 1. YY = Blank or alphabetical Sub Code (eg. 30/45 -FS, 55/65 - SG/NS) ZZ= denote the standard rated output voltage designation which can be "12" to "58" or "12.0" to "58.0" in 0.1V increments t= blank or alpha or numeric character denoting minor circuit or construction modifications that do not compromise the overall safety of the product WW=Cord Type V (I/P Option) =8 - C8 AC inlet	Power Supply Adapter
LFEVC60NRXXYYZ, LFEVC60NRXXYYZ: where: XX can be from 24 to 48, YY can be from 5 to 12, and Z can be any alpha or numeric or blank. 'LF' is optional.	Power Supply Adapter



Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2139562-0
Report Reference E515384-20211012
Date 14-Oct-2021

Issued to: EOS POWER INDIA PVT LTD
UNIT 57 SDF-II
SEEPZ ANDHERI (E) MUMBAI, Maharashtra
India 400096

**This is to certify that
representative samples of**

QQJQ7 - Power Supplies for Use with Audio/Video,
Information and Communication Technology Equipment
Certified for Canada

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: CSA C22.2 NO. 62368-1, 3rd Ed., Issue Date: 2019-12-13

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2139562-0
Report Reference E515384-20211012
Date 14-Oct-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
eZVCXXYY ZZt WW V (Class I), eZVCXXYY ZZt WW V: XX= denotes the rated output wattage designation, which can be "20" to "65", with interval of 1. YY = Blank or alphabetical Sub Code (eg. 30/45 -FS, 55/65 - SG/NS) ZZ= denote the standard rated output voltage designation which can be "12" to "58" or "12.0" to "58.0" in 0.1V increments t= blank or alpha or numeric character denoting minor circuit or construction modifications that do not compromise the overall safety of the product WW=Cord Type V (I/P Option) =6 - C6 AC inlet, 4 - C14 AC inlet	Power Supply Adapter
eZVCXXYY ZZt WW V (Class II), eZVCXXYY ZZt WW V: XX= denotes the rated output wattage designation, which can be "20" to "65", with interval of 1. YY = Blank or alphabetical Sub Code (eg. 30/45 -FS, 55/65 - SG/NS) ZZ= denote the standard rated output voltage designation which can be "12" to "58" or "12.0" to "58.0" in 0.1V increments t= blank or alpha or numeric character denoting minor circuit or construction modifications that do not compromise the overall safety of the product WW=Cord Type V (I/P Option) =8 - C8 AC inlet	Power Supply Adapter
LFEVC60NRXXYYZ, LFEVC60NRXXYYZ: where: XX can be from 24 to 48, YY can be from 5 to 12, and Z can be any alpha or numeric or blank. 'LF' is optional.	Power Supply Adapter



Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>